Phrynosoma
coronatum
Code #13

Phrynosoma
coronatum

SPECIES *Phrynosoma coronatum* TAG NO. 1

CONTAINER NO. Y6 SEX ♀ AGE Ad. TOE-CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE 8 Apr. 1959 SPEEDOMETER

LOCALITY UCR Campus, Riverside

COUNTY Riverside STATE Calif.

STANDARD TIME 1545 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft.)

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP (30 in) 21.5 °C AIR TEMP(1 cm) Not taken °C

SOIL SURFACE TEMP ~30 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Coastal sage scrub

REMARKS: Temperatures taken at greenhouse #16

1550

2

Phrynosoma coronatum

♀♀ ♂ ad.

84

Apr. 14, 1959 SPEEDOMETER 1762

LOCALITY 1 mi. N.W. of Phelan

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1205 CLOUDS(% overcast) 98 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 4100

WIND VELOCITY(mi/hr) 6 ROAD TEMP. °C

AIR TEMP (30 in) 23.4 °C AIR TEMP(1 cm) 29.0 °C

SOIL SURFACE TEMP 49.2 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Joshua tree woodland

REMARKS Found on ground at base of Joshua tree.


Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/preservedlizards00mayh_2

SPECIES Phrynosoma coronatum TAG NO. 3

CONTAINER NO. R15 SEX ♀ AGE ad. TOE-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE May 9, 1959 SPEEDOMETER 5323

LOCALITY 2 mi. N. of Cedar Springs

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP. °C

AIR TEMP (30 in) 21.4 °C AIR TEMP(1 cm) 26.5 °C

SURFACE TEMP 42.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT stream bank

REMARKS:

Phrynosoma coronatum 4

R20 ♀ ad.

93

May 9, 1959 5323

2 mi. N. of Cedar Springs

San Bernardino Calif.

1120 0

— —

S.W. 3225

3-5

21.4 °C 26.5

42.5 °C

°C

Stream bank

Phrynosoma ~~platt~~ coronatum 5

R2 09 imm.? 59

May 9, 1959 5323

2 mi. N. of Cedar Springs

San Bernardino Calif.

TIME 1110 CLOUDS(% overcast) 0

~ RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3225

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP. °

AIR TEMP. (20 in) 21.4 °C AIR TEMP.(1 cm) 26.5

SURFACE TEMP 42.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT stream bank

REMARKS:

Phrynosoma coronatum

R7 ♀ ad.

107

July 7, 1959 —

UCR campus

Riverside

1015 0

— 1200

S. W.

1-3

29.0 37.8

coastal sage scrub.

No chase. Sitting in shade of *Eriogonum fasciculatum*.

SPECIES *Phrynosoma coronatum* TAG. NO. 7

CONTAINER NO. R2 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE Apr. 2, 1960 SPEEDOMETER _____

LOCALITY 3 mi. N. of Cedar Springs

COUNTY San Bernardino CALIF.

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S.W. ALTITUDE(ft.) 2960

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.2 °C AIR TEMP(1 cm) 23.4 °C

SOIL SURFACE TEMP 35.8 °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Riparian

CHASE 0 FEET

REMARKS: At base of some willows

SPECIES Phrynosoma coronatum TAG. NO. 8

CONTAINER NO. _____ SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 91

DATE May 28, 1960 SPEEDOMETER _____

LOCALITY Forest Home

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 5000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT yellow pine forest

CHASE _____ FEET

REMARKS: _____

SPECIES *Phrynosoma coronatum* TAG. NO. 9

CONTAINER NO. R50 SEX ♀ AGE ad TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE July 16, 1960 SPEEDOMETER _____

LOCALITY 3 mi. N. of Cedar Springs

COUNTY San Bernardino CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 37.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT riparian

CHASE 0 FEET

REMARKS: in shade of willows

SPECIES Phrynosoma coronatum TAG. NO. 10

CONTAINER NO. R50 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE July 16, 1960 SPEEDOMETER _____

LOCALITY 3 mi. N. of Cedar Springs

COUNTY San Bernardino CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 37.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE 0 FEET

REMARKS: In shade of willows

SPECIES PHRYNOSOMA CORONATUM TAG. NO. 11

CONTAINER NO. ____ SEX ♀ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 84

DATE SEP 25 1980 SPEEDOMETER ____

LOCALITY 4545 BRIGGS AVE., LA CRESCENTA

COUNTY LOS ANGELES CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 1563

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ROCKY HILLSIDE

CHASE ____ FEET

REMARKS: ____

SPECIES PHRYNOSOMA CORONATUM TAG NO. 12

CONTAINER NO. B61 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 103

DATE 13 June 1961 SPEEDOMETER _____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE _____ FEET

REMARKS: _____

SPECIES PHRYNOSOMA CORONATUM TAG NO. 13

CONTAINER NO. B76 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 100

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 14

CONTAINER NO. W12 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 92

DATE MAY 18 1962 SPEEDOMETER

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 8 FEET

REMARKS: in sun on rock

caught by field zool. class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 15

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 94

DATE May 31, 1963 SPEEDOMETER

LOCALITY Calimesa

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~ 2500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE FEET

REMARKS: Brought in by Herta Caylor

SPECIES PHRYNOSOMA CORONATUM TAG NO. 16

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE June 2, 1963 SPEEDOMETER _____

LOCALITY Box Springs Mts. (near Big "C")

COUNTY _____ CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: caught by UCR student

SPECIES PHRYNOSOMA CORONATUM TAG NO. 17

CONTAINER NO. Y28 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 20 1967 SPEEDOMETER

LOCALITY Pinyon Flat Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT PINYON-JUNIPER WOODLAND

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 18

CONTAINER NO. 128 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE MAY 20 1967 SPEEDOMETER

LOCALITY 3 mi. SW of Anza

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 0 FEET

REMARKS: in sun on ground

SPECIES PHRYNOSOMA CORONATUM TAG NO. 19

CONTAINER NO. Y29 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 106

DATE MAY 20 1967 SPEEDOMETER

LOCALITY 1 mi. S.W. of Anza

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 0 FEET

REMARKS: caught by field zoology class.

Left oviduct – 7 eggs } no shells on eggs yet.

Right oviduct – 7 eggs }

Left ovary – 8 corpora lutea

Right ovary – 6 corpora lutea

SPECIES PHRYNOSOMA CORONATUM TAG NO. 20

CONTAINER NO. Y29 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAY 20 1967 SPEEDOMETER

LOCALITY 3 mi. SW of Anza

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 10 FEET

REMARKS: sunning on rock

SPECIES PHRYNOSOMA CORONATUM TAG NO. 21

CONTAINER NO. Y31 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE MAY 20 1967 SPEEDOMETER _____

LOCALITY 8 mi. SW of Anza

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 22

CONTAINER NO. B8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE MAY 20 1967 SPEEDOMETER

LOCALITY 4 mi. SW of Anza

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 0 FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 23

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 27 1967 SPEEDOMETER

LOCALITY 10 mi. S. of Banning

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 24

CONTAINER NO. R1 SEX ♀ AGE ad ♂ TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 2 7 1967 SPEEDOMETER

LOCALITY 10 mi. S. of Banning

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 25

CONTAINER NO. Y 14 SEX ♀ AGE ad ♂ TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 2 7 1967 SPEEDOMETER

LOCALITY 1 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 5400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 26

CONTAINER NO. Y30 SEX ♀ AGE ad ♂ TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE MAY 27 1967 SPEEDOMETER

LOCALITY 1 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 5400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 27

CONTAINER NO. Y7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 27 1967 SPEEDOMETER

LOCALITY 10 mi. S. of Banning

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 28

CONTAINER NO. Y7 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE MAY 27 1967 SPEEDOMETER

LOCALITY 10 mi. S. of Banning

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 29

CONTAINER NO. Y7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 2 7 1967 SPEEDOMETER

LOCALITY 10 mi. S. of Banning

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 30

CONTAINER NO. Y7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 27 1967 SPEEDOMETER

LOCALITY 10 mi. S. of Banning

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zoology class

SPECIES PHRYNOSOMA CORONATUM TAG NO. 31

CONTAINER NO. B6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE May 17, 1968 SPEEDOMETER

LOCALITY Phelan

COUNTY San Bernardino CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(1 m) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zoology class

5 eggs in each oviduct

Phrynosoma platyrhinos
Code # 14

LOOSE LEAF INDEX

DURABLE INDEX DIVIDERS, SUITABLE FOR SCHOOL OR COMMERCIAL USE



IDEAL FOR CLASSIFYING OR SEPARATING STUDIES, VARIOUS SUBJECTS OR MISCELLANEOUS DATA.

CLASS SCHEDULE

PERIOD TIME	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH
COURSE **MONDAY**								
INSTRUCTOR								
COURSE **TUESDAY**								
INSTRUCTOR								
COURSE **WEDNESDAY**								
INSTRUCTOR								
COURSE **THURSDAY**								
INSTRUCTOR								
COURSE **FRIDAY**								
INSTRUCTOR								
COURSE **SATURDAY**								
INSTRUCTOR								

NAME _____

SCHOOL _____ CLASS _____

HOME ADDRESS _____

CITY _____ TELEPHONE _____

Phrynosoma
platyrhinos

SPECIES Phrynosoma platyrhinos

SACK NO. B 22 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE Sept. 18, 1958 SPEEDOMETER 12613

LOCALITY Pisgah lava flow, 10 mi. W. of Ludlow,
San Bernardino Co., Calif.

STANDARD TIME 1650 CLOUDS none

MOON ——— RELATIVE HUMIDITY(%) ~1

WIND DIRECTION none ALTITUDE(ft) 2150

WIND VELOCITY(miles/hour) 0 IRU NO. 1

AIR TEMPERATURE 34.2 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 36.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Sand on lava flow

REMARKS: _____

Phrynosoma platyrhinos

ys ♂ ad.

71

Oct. 17, 1958 11775

10 mi. E. of Newberry, San Bernardino Co., Calif.

1135 none

—— ~5

none 1800

0 2

32.2

47.8

Sand between lava outcrops

Phrynosoma platyrhinos

♂ ad.

85

Mar. 13, 1959 2038

LOCALITY 11 mi. E. of 29 Palms, San Bernardino Co., Calif.

1005 none

— —

none 1460

0 3

AIR TEMPERATURE (30") 22.4 °C

ROAD TEMPERATURE 38.0 °C °F

SOIL SURFACE TEMPERATURE 35.5 °C °F

~~SOIL~~ Air TEMPERATURE (1cm) 23.5 °C

HABITAT creosote bush scrub.

REMARKS sitting on pavement of road.

Phrynosoma platyrhinos 4

B21 ♂ imm(?)

62

Apr. 10, 1959 25166

15½ mi. W. of Shoshone

Inyo Calif.

1050 none

—

W

1-3

25.8 31.8

44.6

creosote bush scrub

found beside road

Phrynosoma platyrhinos 5

B25 ♂ ad.

72

Apr. 30, 1959 39022

5 mi. N.W. of 1000 Palms

Riverside Calif.

0645 CLOUDS(% overcast) 80

— RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25 ROAD TEMP. °C

AIR TEMP (30 in) 19.2 °C AIR TEMP(1 cm) 20.0 °C

SURFACE TEMP 20.2 °C CLOACAL TEMP °C

SUBSTRATE °C

HABITAT creosote bush scrub

REMARKS Found sitting on sand at edge of road.

SPECIES Phrynosoma platyrhinos NO. 6

CONTAINER NO. B28 ♂ AGE imm.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 56

DATE May 9, 1959 SPECIMEN NO. 5363

LOCALITY 7½ mi. W. of Lucerne Valley

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1715 CLOUDS(% overcast) 15

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 3250

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

SOIL TEMP (30 in) 26.0 °C AIR TEMP(1 cm) 27.6 °C

WATER TEMP 34.6 °C CLOACAL TEMP °C

SUBSTRATE Rocky ridge

HABITAT At edge of rocky area

Phrynosoma platyrhinos TAG NO. 7

R17 SEX ♂ AGE ad.

68

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

0630 CLOUDS(% overcast) 0

RAIN — RELATIVE HUMIDITY(%) 28

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 6-7 ROAD TEMP.

AIR TEMP (30 in) 31.2 °C AIR TEMP(1 cm) 30.0

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in open in sun

Phrynosoma platyrhinos 8

R I ♂ ad.(?)

55

June 19, 1959 6958

8 mi. N.W. of 1000 Palms

Riverside

0745 0

— —

0 250

0 40.0 °C.

34.2 35.2

creosote bush scrub

on pavement

Phrynosoma platyrhinos 9

R9 ♂ ad.

74

June 19, 1959 6965

1 mi. N.W. of 1000 Palms

Riverside

08 10 0

— —

0 200

0 40.0 °C.

34.2 °C 35.2

creosote bush scrub

on pavement

Phrynosoma platyrhinos 10

R10 ♂ ad.

67

June 19, 1959 6986

6 mi. N.W. of 1000 Palms

Riverside

1650 0

— —

S.E. 600

2-5 46.2 °C.

39.6 42.8

46.6

creosote bush scrub

on pavement

SPECIES Phrynosoma platyrhinos TAG. NO. 11

CONTAINER NO. ____ SEX ♂ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 74

DATE 17 Aug 1959 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ~36 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Under outhouse

CHASE ____ FEET

REMARKS: Caught by Harry Cramer

No other data available

Phrynosoma platyrhinos 12

R21 ♂ ad.

78

Aug. 18, 1959 29470

3 mi. N.W. of 1000 Palms

Riverside

0935 20

— 40

N.W. 500

8-12 43.5

30.5 °C 34.0

45.5 °C 38.6

creosote bush scrub

chasing ♀ across pavement.

Phrynosoma platyrhinos 13

R21 ♀ ad.

71

Aug. 18, 1959 29470

3 mi. N.W. of 1000 Palms

Riverside

0935 20

– 40

N.W. 500

8-12 43.5

30.5 34.0

45.5 38.8

creosote bush scrub

Being chased by ♂ across pavement.

SPECIES *Phrynosoma platyrhinos* TAG. NO. 14

CONTAINER NO. ____ SEX ♀ AGE ad. (?) TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 65

DATE Sept. 7, 1959 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT creosote bush scrub

CHASE ____ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES Phrynosoma platyrhinos TAG. NO. 15

CONTAINER NO. R36 SEX ♂ AGE ad.(?) TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE _____ SPEEDOMETER 31090

LOCALITY 31 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 80

MOON ~ RELATIVE HUMIDITY(%) 39

WIND DIRECTION N.W. ALTITUDE(ft.) 2050

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES *Phrynosoma platyrhinos* TAG. NO. *16*

CONTAINER NO. *R 44* SEX *♀* AGE *ad* TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *85*

DATE OCT 25 1959 SPEEDOMETER *34197*

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME *1612* CLOUDS(% overcast) *85*

MOON — RELATIVE HUMIDITY(%) *34*

WIND DIRECTION *N.W.* ALTITUDE(ft.) *550*

WIND VELOCITY(mi/hr) *18-25* ROAD TEMP. _____ °C

AIR TEMP(30 in) *29.8* °C AIR TEMP(1 cm) *31.1* °C

SOIL SURFACE TEMP *32.2* °C CLOACAL TEMP *31.9* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *0* FEET

REMARKS: *On sand surface just after sun went behind San Jacinto.*

SPECIES *Phrynosoma platyrhinos* TAG. NO. *17*

CONTAINER NO. *B40* SEX *♂* AGE *ad.* TOE CLIP # *1*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *78*

DATE *Mar. 20, 1960* SPEEDOMETER *33627*

LOCALITY *2 mi. S. of Desert (Ivanpah Dry Lake)*

COUNTY *San Bernardino* CALIF.

STANDARD TIME *0950* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *0* ALTITUDE(ft.) *3000*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) *18.0* °C AIR TEMP(1 cm) *21.6* °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP *38.0* °C

ROCK SURFACE TEMP *36.2* °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *0* FEET

REMARKS: *in sun on south side of small rock. Back was directly facing the sun.*

SPECIES *Phrynosoma platyrhinos* TAG. NO. 18

CONTAINER NO. R47 SEX ♂ AGE ad. TOE CLIP # ● 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE Mar. 21, 1960 SPEEDOMETER 33796

LOCALITY 3 mi. E. of Rainbow Wells

COUNTY San Bernardino CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Joshua tree woodland

CHASE 10 FEET

REMARKS: in sun on ground in middle of dirt road

Another ♂ ~ 2 feet away.

SPECIES *Phrynosoma platyrhinos* TAG. NO. *19*

CONTAINER NO. *R47* SEX *♂* AGE *ad.* TOE CLIP # *3*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *75*

DATE *Mar. 21, 1960* SPEEDOMETER *33796*

LOCALITY *3 mi. E. of Rainbow Wells*

COUNTY *San Bernardino* CALIF.

STANDARD TIME *1140* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *S.W.* ALTITUDE(ft.) *4200*

WIND VELOCITY(mi/hr) *5-8* ROAD TEMP. _____ °C

AIR TEMP(30 in) *25.0* °C AIR TEMP(1 cm) *28.0* °C

SOIL SURFACE TEMP *44.4*°C CLOACAL TEMP *38.8* °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT *Joshua tree woodland*

CHASE *0* FEET

REMARKS: *in sun on sand in middle of road.*

Another ♂ about 2 feet away.

SPECIES *Phrynosoma platyrhinos* TAG. NO. 20

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE APR 19 1960 SPEEDOMETER 35208

LOCALITY 3 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 95 (thin)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: DOR, just recently run over

SPECIES *Phrynosoma platyrhinos* TAG. NO. 21

CONTAINER NO. B53 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE April 12, 1960 SPEEDOMETER 34830

LOCALITY 27 mi. W. of Rice (near San Berdoo-Riverside Co. Line)

COUNTY Riverside CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 58

WIND DIRECTION W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP ~~35.0~~ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 30 FEET

REMARKS: ran across the pavement in front of us and tried to hide on open ground.

SPECIES *Phrynosoma platyrhinos* TAG. NO. 22

CONTAINER NO. B58 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE APR 14 1960 SPEEDOMETER 35207

LOCALITY 4 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 95 (thin)

MOON — RELATIVE HUMIDITY(%) 55

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.5 °C AIR TEMP(1 cm) 28.8 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 15 FEET

REMARKS: on pavement

SPECIES *Phrynosoma platyrhinos* TAG. NO. 23

CONTAINER NO. B62 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 14 1980 SPEEDOMETER 35207

LOCALITY 4 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 95 (thin)

MOON — RELATIVE HUMIDITY(%) 55

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.5 °C AIR TEMP(1 cm) 28.8 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement

SPECIES *Phrynosoma platyrhinos* TAG. NO. 24

CONTAINER NO. R44 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1535 CLOUDS(% overcast) 10

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 34.4 °C

SOIL SURFACE TEMP 45.8 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE 0 FEET

REMARKS: *in shade of Larrea divericata*

SPECIES *Phrynosoma platyrhinos* TAG. NO. 25

CONTAINER NO. 823 SEX ♂ AGE ad. TOE CLIP # ~~8F~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE APR 21 1960 SPEEDOMETER 35410

LOCALITY 19 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 34.2 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on pavement

SPECIES *Phrynosoma platyrhinos* TAG. NO. 26

CONTAINER NO. B62 SEX ♂ AGE ad TOE CLIP # ~~85~~

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE APR 21 1960 SPEEDOMETER 35418

LOCALITY 27 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1455 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1600

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 38.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on a rock — sunlight diffused by clouds.

SPECIES *Phrynosoma platyrhinos* TAG. NO. 27

CONTAINER NO. R49 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE APR 21 1960 SPEEDOMETER 35420

LOCALITY 29 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1542 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.4 °C AIR TEMP(1 cm) 33.2 °C

SOIL SURFACE TEMP 38.6 °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on rock at side of road

SPECIES Phrynosoma platyrhinos TAG. NO. 28

CONTAINER NO. 820 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE APR 21 1960 SPEEDOMETER 35419

LOCALITY 28 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1535 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES *Phrynosoma platyrhinos* TAG. NO. 29

CONTAINER NO. R3 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE April 29, 1960 SPEEDOMETER 2750

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1350 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: _____

SPECIES *Phrynosoma platyrhinos* TAG. NO. 30

CONTAINER NO. R3 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE April 29, 1960 SPEEDOMETER 2750

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1355 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: _____

SPECIES Phrynosoma platyrhinos TAG. NO. 31

CONTAINER NO. B19 SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE 14 May 1960 SPEEDOMETER 32069

LOCALITY 5 mi N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 20 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23 °C AIR TEMP(1 cm) 25 °C

SOIL SURFACE TEMP 32.2 °C CLOACAL TEMP 31.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub

CHASE 0 FEET

REMARKS: Ran down on rock

SPECIES *Phrynosoma platyrhinos* TAG. NO. 32

CONTAINER NO. R50 SEX ♂ AGE Ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE MAY 21 19[illegible] SPEEDOMETER _____

LOCALITY 8 mi S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION S. W ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.2 °C AIR TEMP(1 cm) 26.6 °C

SOIL SURFACE TEMP 38.0 °C CLOACAL TEMP 37 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES Phrynosoma platyrhinos TAG. NO. 33

CONTAINER NO. B56 SEX ♀ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE MAY 21 1980 SPEEDOMETER 32600

LOCALITY 10 mi S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION S. W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Eggs in oviducts

Left - 3 eggs

16.8 x 9.7

17.0 x 8.0

Right 4 eggs

16.0 x 9.6

17.0 x 10.3

17.1 x 10.0

16.6 x 10.4

Several eggs show slight development of blastodisc.

SPECIES *Phrynosoma platyrhinos* TAG. NO. 34

CONTAINER NO. B 18 SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 24 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES *Phrynosoma platyrhinos* TAG. NO. 35

CONTAINER NO. B20 SEX ♂ AGE Ad TOE CLIP # [redacted]

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 18 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Sun beside road

SPECIES Phrynosoma platyrhinos TAG. NO. 56

CONTAINER NO. B18 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE MAY 22 1960 SPEEDOMETER _____

LOCALITY 8 mi S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: On rock in sun

SPECIES *Phrynosoma platyrhinos* TAG. NO. 37

CONTAINER NO B62 SEX ♂ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE 20 May 1960 SPEEDOMETER 1056

LOCALITY 15 mi N. of Lucerne Valley

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote Bush scrub

CHASE 0 FEET

REMARKS: On rock in sun

SPECIES *Phrynosoma platyrhinos* TAG. NO. 38

CONTAINER NO B22 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT VENT LENGTH(mm) 97

DATE JUN 11 1960 SPEEDOMETER 43305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on sand in sun

SPECIES *Phrynosoma platyrhinos* TAG. NO. 39

CONTAINER NO. B32 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE JUN 11 1980 SPEEDOMETER 4B305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in sun on top of rock at edge of pavement

SPECIES *Phrynosoma platyrhinos* TAG. NO. 40

CONTAINER NO. 830 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE JUN 11 1960 SPEEDOMETER 43305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0907 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on a rock at edge of pavement

SPECIES *Phrynosoma platyrhinos* TAG. NO. 41

CONTAINER NO. 843 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE JUN 11 [illegible] SPEEDOMETER 43305

LOCALITY 25 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 48.4°C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun on sand beneath Larrea divericata

SPECIES Phrynosoma platyrhinos TAG. NO. 42

CONTAINER NO B 24 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGT (mm) 83

DATE 16 July, 1960 SPEEDOMETER _____

LOCALITY 25 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0625 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub

CHASE 15 FEET

REMARKS: Open sun on rock

SPECIES Phrynosoma platyrhinos TAG. NO. 43

CONTAINER NO. B20 SEX ♂ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE 16 July 1960 SPEEDOMETER 43859

LOCALITY 27 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0700 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: On rock in sun

SPECIES Phrynosoma platyrhinos TAG. NO. #44

CONTAINER NO. B20 SEX ♂ AGE _____ TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE JUL 15 1960 SPEEDOMETER 43865

LOCALITY 28 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0715 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 35 °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: In sun on rock

SPECIES Phrynosoma platyrhinos TAG. NO. 45

CONTAINER NO. B37 SEX ♂ AGE _____ TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE JUL 1[illegible] 1960 SPEEDOMETER 43864

LOCALITY 30 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~35 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: Open sun on sand

SPECIES *Phrynosoma platyrhinos* TAG. NO. *46*

CONTAINER NO. *R50* SEX *♀* AGE *ad* TOE CLIP# ~~*89*~~

WEIGHT(gm) _____ SNOUT-VENT LENGTH(mm) *89 84*

DATE *July 17, 1960* SPEEDOMETER _____

LOCALITY *8 mi. S. of Barstow*

COUNTY *San Bernardino* CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE _____ FEET

REMARKS: _____

SPECIES Phrynosoma platyrhinos TAG. NO. 47

CONTAINER NO. Y2 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE Aug. 11, 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0730 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on sand in sun

SPECIES Phrynosoma platyrhinos TAG. NO. 48

CONTAINER NO. Y2 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) ~~84~~ 80

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 27 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 31.8 °C

SOIL SURFACE TEMP 35.2°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: on rock in sun

SPECIES Phrynosoma platyrhinos TAG. NO. 49

CONTAINER NO. B52 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 91

DATE Aug. 10, 1960 SPEEDOMETER 5513

LOCALITY 8 mi. S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 60

MOON - RELATIVE HUMIDITY(%) -

WIND DIRECTION S.E. ALTITUDE(ft.) ~2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun on top of rock. Another ♂ about 10 feet away

SPECIES *Phrynosoma platyrhinos* TAG. NO. 50

CONTAINER NO. 856 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE Aug. 10, 1960 SPEEDOMETER 5513

LOCALITY 8 mi. S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) ~ 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in shade of Franseria dumosa.
Another of about 10 feet away.

SPECIES *Phrynosoma platyrhinos* TAG. NO. 51

CONTAINER NO. B22 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE Aug 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: ran across road in front of car

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 52

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE APR 14 1961 SPEEDOMETER _____

LOCALITY 1 mi. E. of Mecca

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1605 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) -189

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.6 °C AIR TEMP(1 cm) 31.6 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on ground in sun

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 53

CONTAINER NO. B40 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE MAY 7 1961 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ROCKY SLOPE

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 54

CONTAINER NO. B49 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE JUN 19 1961 SPEEDOMETER _____

LOCALITY 3 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 55

CONTAINER NO. B49 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUN 19 1961 SPEEDOMETER

LOCALITY 3 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 56

CONTAINER NO. B40 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE JUN 19 1961 SPEEDOMETER _____

LOCALITY 3 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 57

CONTAINER NO. B40 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JUN 19 1961 SPEEDOMETER _____

LOCALITY 3 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

Left oviduct	Right oviduct
15.6 x 10.0 mm.	15.9 x 10.4 mm.
16.4 x 10.0 "	15.7 x 10.5 "
16.9 x 9.7 "	16.5 x 9.9 "

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 58

CONTAINER NO. ~ SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE July 30, 1961 SPEEDOMETER

LOCALITY Cady Mts

COUNTY San Bernardino CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) ~3000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT rocky outcrop

CHASE FEET

REMARKS: caught by Ron Needham. No other data available.

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 59

CONTAINER NO. B70 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE Sept. 13, 1961 SPEEDOMETER 7241

LOCALITY 4 mi. E. of Mecca

COUNTY Riverside CALIFORNIA

STANDARD TIME 1515 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 38.5 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: on dirt at edge of road -
sun hidden behind clouds.

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 60

CONTAINER NO. B26 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE APR 22 1962 SPEEDOMETER

LOCALITY Lovejoy Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 2750

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: in sun on small log

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 61

CONTAINER NO. B38 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE APR 22 1962 SPEEDOMETER

LOCALITY Lovejoy Buttes

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 2600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE 0 FEET

REMARKS: in sun on top of Franseria dumosa — about 1 foot above the ground

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 62

CONTAINER NO. B75 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 63

CONTAINER NO. B75 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
13.8 X 9.5 mm.	13.6 X 10.4 mm.
14.0 X 10.0 "	14.8 X 9.7 "
13.8 X 9.5 "	15.1 X 10.6 "
13.7 X 9.7 "	4 corpora lutea
3 corpora lutea	

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 64

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 65

CONTAINER NO. B81 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 66

CONTAINER NO. B38 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 67

CONTAINER NO. B72 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 68

CONTAINER NO. B23 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 69

CONTAINER NO. B23 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
17.8 X 11.8 mm	16.5 X 11.0 mm
	16.4 X 10.8 "
2 corpora lutea	16.1 X 10.7 "
	17.2 X 10.0 "
	3 corpora lutea

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 70

CONTAINER NO. B72 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

she has recently laid eggs: 5 corpora lutea in left ovary; 5 corpora lutea in right ovary.

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 71

CONTAINER NO. B28 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
15.1 X 11.0 mm	16.7 X 11.0 mm
14.5 X 11.4 "	15.3 X 11.6 "
16.3 X 11.2 "	14.3 X 10.5 "
"	15.8 X 11.8 "
3 corpora lutea	4 corpora lutea

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 72

CONTAINER NO. R5- SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 4 1963 SPEEDOMETER

LOCALITY 8 mi s. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 73

CONTAINER NO. B59 SEX ♂ AGE _____ TOE CLIP# _____

WEIGHT(gms)-------- SNOUT-VENT LENGTH(mm) 90

DATE MAY 4 1963 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(1 m) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT PHRYNOSOMA PLATYRHINOS CREOSOTE BUSH SCRUB

CHASE _____ FEET (HILL

REMARKS: GOOFED AGAIN

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 74

CONTAINER NO. B72 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE JUN 11 1963 SPEEDOMETER

LOCALITY 9 mi. W. of Rice

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) 50

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.3 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS:

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. ~~77~~ 75

CONTAINER NO. B46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63 ?

DATE JUN 11 1963 SPEEDOMETER

LOCALITY 3 mi. S. of Rice

COUNTY ~~SAN DIEGO~~ Riverside CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 50

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION o ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: ~~Chest abnormal~~

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 76

CONTAINER NO. 857 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE JUN 11 1963 SPEEDOMETER

LOCALITY Rice

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1335 CLOUDS(% overcast) 50

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION o ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) o ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE o FEET

REMARKS:

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 3377

CONTAINER NO. B41 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUN 11 1963 SPEEDOMETER

LOCALITY 7 mi. W. of Rice

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) 50

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on back in middle of road

Chest abnormal

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 78

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE SEP 5 1963 SPEEDOMETER

LOCALITY 1 mi. E. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR (8) (16)



SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 79

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE 29 March 1964 SPEEDOMETER

LOCALITY Between Glamis and Palo Verde

COUNTY Imperial CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft)

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Creosote Bush Scrub

CHASE FEET

REMARKS: Given to me by Susan Frommer (Larisch) — no other data available.

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 80

CONTAINER NO. 03 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 38.2 °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 81

CONTAINER NO. 03 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS:

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 82

CONTAINER NO. 03 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) 100

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 31.6 °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS:

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 83

CONTAINER NO. Y8 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1325 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 29.8 °C CLOACAL TEMP 30.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: ♂ found 3 feet away

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 84

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1325 CLOUDS(% overcast) 80

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 29.8 °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: ♀ found 3 feet away

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 85

CONTAINER NO. 18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE APR 4 1964 SPEEDOMETER

LOCALITY 6 mi. N.E. of 29 Palms

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast) 100

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 24.6 °C

SOIL SURFACE TEMP 29.2 °C CLOACAL TEMP 28.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS:

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 86

CONTAINER NO. B74 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE SEP 2 8 1964 SPEEDOMETER

LOCALITY Dale Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Franseria dumosa

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 87

CONTAINER NO. Y10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 6 1967 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2800

WIND VELOCITY(mi/hr) 5-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zoology class

No other data available.

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 88

ITAINER NO. Y/2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 6 1967 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2800

ND VELOCITY(mi/hr) 5-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zoology class

No other data available.

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 89

NTAINER NO. B2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE Feb. 24, 1968 SPEEDOMETER

LOCALITY 2 mi. S. of Palm Desert

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 700

IND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in sun, resting on dead stick

SPECIES PHRYNOSOMA PLATYRHINOS TAG NO. 90

CONTAINER NO. B6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE May 3, 1968 SPEEDOMETER

LOCALITY 2 mi. S. of Palm Desert

COUNTY Riverside CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE 6 FEET

REMARKS: in sun on road

Phyllorhynchus decurtatus
Code #29

LOOSE LEAF INDEX

DURABLE INDEX DIVIDERS, SUITABLE FOR SCHOOL OR COMMERCIAL USE



IDEAL FOR CLASSIFYING OR SEPARATING STUDIES, VARIOUS SUBJECTS OR MISCELLANEOUS DATA.

CLASS SCHEDULE

PERIOD / TIME	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH
COURSE **MONDAY** INSTRUCTOR								
COURSE **TUESDAY** INSTRUCTOR								
COURSE **WEDNESDAY** INSTRUCTOR								
COURSE **THURSDAY** INSTRUCTOR								
COURSE **FRIDAY** INSTRUCTOR								
COURSE **SATURDAY** INSTRUCTOR								

NAME _____

SCHOOL _____ CLASS _____

HOME ADDRESS _____

CITY _____ TELEPHONE _____

Phyllorhynchus
decurtatus

R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.